



REPORT PREPARED FOR:

207 E State Street Westby, WI 54481

PROJECT# 22002107 **REPORT DATE** 1/21/2022 **USDA LICENSE**

SAMPLE NAME: Concentrate DATE RECEIVED: 1/20/2022

LAB ID: 52004607

| TOTAL THC ND | | TOTAL CBD | TOTAL CANNABINOIDS | |
|-----------------|--------------|---------------|---|--|
| | | ND | 76.17% | |
| | | | | |
| | | — CANNABINO | ID PROFILE | |
| | | | | |
| 80.0% | | | | |
| 70.0% | | | | |
| 60.0% | | | | |
| 50.0% | | | | |
| 40.0% | | | | |
| 30.0% | | | | |
| 20.0% | | | | |
| 10.0% | | | | |
| 0.0% | | | | |
| | CBC CBD CBDA | CBDV CBG CBGA | CBN $\Delta 8$ -THC $\Delta 9$ -THC THCA THCV | |

| CANNABINOI | D | W | /EIGHT (% |) | MG | i/G |
|--|---------|------------|-----------|----------------|-----------|------|
| CBC | | | ND | | → N | D |
| CBD | | → | ND | | → N | D |
| CBDA | | | ND | | → N | D |
| CBDV | | → | ND | | → N | D |
| CBG | | → | ND | | → N | D |
| CBGA | | | ND | | → N | D |
| CBN | | | 0.42 | | → 4. | 22 |
| ∆8-THC | | | 75.75 | | → 757 | 7.50 |
| ∆9-THC | | | ND | | → N | D |
| THCA | | → | ND | | → N | D |
| THCV | | → | ND | | → N | D |
| nalysis Method: TP-POT-c | Prepare | ed By: BRB | | Analyzed By: | BRB | |
| otal THC = (0.877 x THCA) · otal CBD = (0.877 x CBDA) | Prep Da | ite: 1/20 | /2022 | Analysis Date: | 1/21/2022 | |

An Tot Total CBD = (0.877 x CBDA) + CBD ND = Not Detected

Batch ID:

JAN2122A-POT

. Hall APPROVED BY: 1/21/2022 JUSTIN HALL SIGNATURE SIGNED ON PJLA LAB DIRECTOR Testing Accreditation# 115522

This is a Badger Labs Certificate of Analysis and may not be reporduced without written approval from Badger Labs. Badger Labs maintains strict confidentiality of all client data. Any information regarding an analysis is shared only with the the individuals designated on the Laboratory Chain of Custody (COC) as contacts unless authorization is recieved. Limits of Quantification (LOQ) are available upon request. Statements of conformity to specifications are not made or implied in this report. Review the results, expanded uncertainty and specifications to ensure they meet your requirements. Uncertainty values are available upon request.